INDEX TO VOLUME VII

New scientific names are printed in full-faced type

Abies, amabilis, 140; balsamea, 46, 314; concolor, 140; grandis, 140, 379; lasiocarpa, 379; magnifica, 140; nobilis, 140
Abronia, elliptica, 93; fragrans, 92; micrantha, 93
Acalypha, bachmeroides, 160
Acer, negundo, 445; rubrum, 48; saccharinum, 48
ACREE, S. F., see PIEPER, ERNEST J.
Acrosporium, fasciculatum, 39
Actinomyces, scabies, 212
Adiantum, 35
Æcidium, Abroniæ, 93; fumariacearum, 93
Ageratum, conyzoides, 160
Aegle, glutinosa, 59
Agriolimax, agrestis, 369
Agropyron, smithii, 73, 226
Alerodes, citri, 132
Alfalfa, leaf spot of, 70; lightning injury to, 142; stem rot of, 432
Alsike, 70
Alternaria, 63; Citri var. **Cerasi**, 188; crassa, 329; cucurbitæ, 196; Solani, 316, 327; on Datura, 327; on potato, 327
Amaranthus, blitoides, 92; retroflexus, 92
Ambrosia, artemisiæfolia, 157; trifida, 445
Amelanchier, alnifolia, 109
AMERICAN PHYTOPATHOLOGICAL SOCIETY, abstracts of papers presented at eighth annual meeting, 145–149; Report of the Pacific Division, 150–151.
Amsonia, 67; cliate, 69
Angular leaf spot, of cotton, 64; of cucumbers, 61
Anthracnose, bean, 61; of camphor, 59; cucumber, 62; of onion, 59; raspberry, 83
Aplanobacter, agropyri, 226
Apple, blister spot, 198; bitter rot of, 132; fruit-rot of, 59; **Hypochnus ochroleucus** on, 130; root-rot of, 77, 223; rot of, 76; rough-bark or scurfy-bark canker of, 202; scab, 76, 221
Arachis, hypogæa, 156, 160
Arbutus, menziesii, 380
Armadillidium, vulgare, 369
Armillaria, mellea, 175
Arthropods, carriers of Cronartium ribicola in greenhouses, 368
Aschersonia, on Guava, 132
Aspidium, 35
Aster, 67
Atriplex, canescens, 93; confertifolia, 93; hastata, 92
Auerswaldia, palmicola, 131
Avocado, Mycosphærella perseæ on, 350; Phyllachora gratissima on, 350
Azalea, viscosa, 32; effect of tar smoke on, 32

Bacillus, amylovorous, 75, 200; californiensis, 285; coli, 200; coli communis, 14; mesentericus aureus, 285; **morulans**, 269
Bacterium, Citri, 58, 339; Dianthi, 284; herbicola aureum, 285; Malvacearum, 64; mesentericus, 159; Phaseoli, 61; solanacearum, 155; viridilividum, 392
BAILEY, ERNEST, see JONES, L. R.
Banana, disease of Cuban, 14
Barley, blight, 69
Bean, anthracnose, 61; blight, 61, 65; Cercospora canescens on, 349; Dimerium grammodes on, 131; Isariopsis on, 345; leaf blotch of, 345; leaf spot of, 345; mosaic, 60, 61; root rot, 61
Begonia, effect of tar smoke on, 35
BENNETT, C. W., see GILBERT, A. H.

BETHEL, ELLSWORTH, Puccinia subnitens and its aecial hosts, 92–94
Betula, lutea, 47, 48; occidentalis, 379
Bidens, bipinnata, 163
Birch, yellow, 48
BISBY, G. R., The short-cycled Uromyces of North America (abstract), 74
Bitter rot, of apple, 132
Bjerkandera, adusta, 47
Black heart, of orange, 190
Black spot, of pepper, 63
BLAKE, M. A., COOK, MEL T., and SCHWARZE, C. A., Studies on peach yellows and little peach (abstract), 76
Blatta, orientalis, 370
Blight, on barley, 69; on bean, 61, 65; on chestnut, 313; on eggplant, 60, 78; on pears, 75; on potato, 374
Blister spot, of apples, 198
Blumea, balsamifera, 160
Boletus, chromapes, 74; frostii, 74; gracilis, 74; indesisus, 74; purpureus, 74; speciosus, 74
BONQUET, P. A., Bacillus morulans N. Sp., 269–289
Botrytis, cinerea, 391
Brassica, oleracea var. acephala, 141
Bread fruit, rust of, 131
BROCK, W. S., and RUTH, W. A., Control of apple scab by bleaching powder (abstract), 76
Bromus, hookerianus, 143; marginatus, 69; sitchensis, 69
BROOKS, CHARLES, and COOLEY, J. S., Jonathan spot (abstract), 76; Temperature relations of apple rot fungi (abstract), 76
Browallia, demissa, 161
BROWN, NELLIE A., A bacterial stem and leaf disease of lettuce (abstract), 63
BURKHOLDER, W. H., Bean diseases in New York State in 1916 (abstract), 61; The perfect stage of Glœosporium venetum, 83–91
BUTLER, O., The cuprammonium washes, 235–268
Butternut, 47
BYARS, L. P., Tylenchus tritici on wheat, 56; a nematode disease of the dasheen and its control by hot water treatment (abstract), 66
Cabbage, wilt, 375
Calendula, officinalis, 32
Calonyction, 67
Camellia, sooty mold on, 133
Campanula, 68
Camphor, anthracnose of, 59; limb canker of, 59
Candytuft, effect of tar smoke on, 32
Canker, of camphor trees, 59; citrus, 58; Illinois, 205; rough bark or scurfy bark, 202
Canna, rust on, 132
Capnodium, brasiliense, 134; coffeæ, 134; footie, 134; mangiferum, 134; stellatum, 134
Capsella, bursa-pastoris, 92
Capsicum, annuum, 160, 312
Carica, papaya, 349
Carpinus, 314
Carrot, lightning injury, 142
CARSNER, EUBANKS, Do the bacteria of angular leaf spot of cucumber overwinter on the seed? (abstract), 61
Carya, illinoensis, 42; ovata, 185
Cassava, Cercospora henningsii on, 349
Castanea, dentata, 47
Castelleja, angustifolia, 106; miniata, 108
Celery, bacterial heart wilt, 64; crown rot, 64; crown rot wilt, 64
Cephaleurus, virescens, 132
Cercospora, Apii, 65; canescens, 349; coffeæ, 349; crassa, 335; cruenta, 346; Daturæ, 335; henningsii, 349; Hibisci, 349; Ibiridis, 337; Lunariæ, 337; Nicotianæ, 348; Solaninigri, 337
Cereal pathologists, field conference of, 453–454
Charcoal rot, of sweet potatoes, 312
Chenopodium, album, 92; glaucum, 92; lanceolatum, 92; pagonum, 92
Cherry, leaf spot, 75, 188; witches-brooms on, 185
Chestnut, blight, 313
CHIVERS, A. H., The injurious effects of Tarvia fumes on vegetation, 32–36.
Chrysomyxa, Abietis, 78, 352; Piceæ, 352; weirii, 353
Chrysopsis, 67; mariana, 68
Citrus, trifoliata, 59, 339; canker, 58

Cladosporium, Citri, 60; cucumerinum, 62
Clavaria, amethystina, 171; aurea, 171; formosa, 171
Cleome, serrulata, 93
Clover, leaf spot of, 70; Nigredo fallens on, 70; rust, 75; stem rot of, 432
Cnicus, americanus, 44
Coccomyces, hiemalis, 75, 404; **Kerriæ**, 405
COERPER, FLORENCE M., see JOHNSON, A. G.
Coffea, arabica, 115; liberica, 115
Coffee, Cercospora coffeæ on, 349; diseases of, 130
Coleosporium, Apocynaceum, 69; delicatulum, 68, 225; Elephantopodis, 66; Helianthi, 67; inconspicuum, 68; Ipomææ, 67, 132; Laciniariæ, 68; Solidaginis, 20, 68, 225; Terebinthinaceæ, 67; Vernoniæ, 67
Colletotrichum, cereale, 450; circinans, 59; falcatum, 423; fructum, 59; solanicolum, 226
COLLEY, REGINALD H., Mycellium of the white pine blister rust (abstract), 77; Pycnial scars, an important diagnostic character for the white pine blister rust (abstract), 77
COLLINS, J. FRANKLIN, On using an ether freezing microtome in warm and damp weather, 222
Colocasia, esculenta, 66
Commelina, nudiflora, 35
Comptonia, asplenifolia, 49, 108
Conifers, Sparassis radicata on, 166
Convolvulus, 67
COOK, MEL. T., see BLAKE, M. A.; and SCHWARZE, C. A., Apple scab on the twigs, 221; A Nectria parasitic on Norway maple, 313–314.
COOLEY, G. S., see BROOKS, CHARLES
Coreopsis, 67; delphinifolia, 69; lanceolata, 69; major, 69; major æmeri, 69; major rigida, 69; tripteris, 69; verticillata, 69
Coriolellus, sepium, 47
Coriolus, abietinus, 46; nigromarginatus, 46; prolificans, 46; versicolor, 46
Corn, Phyllachora graminis on, 55, 131; smut, 73
Corticium, javanicum, 115; lætum, 115; ochraleucum, 113; salmonicolor, 111; vagum, 111, 209
Cotton, angular leaf spot, 64; lightning injury, 140; rust on, 133
Corylus, avellana, 52
Cratægus, douglassi, 109, 223
Cronartium, cerebrum, 135, 450; coleosporoides, 106, 135; Comandræ, 135; Comptoniæ, 17, 49, 106, 135; Quercuum, 20; ribicola, 17, 58, 77, 95, 135, 225, 368, 391, 449
Croton, glandulosus var. septentrionalis, 161
Crown canker, of rose, 408
Crown rot wilt, of celery, 64
Crown rot, of celery, 64
Cucumber, angular leaf spot of, 61; anthracnose, 62; mosaic on, 61; new leaf spot, 62; scab on, 62
Cucurbita, maxima, 32; pepo, 32
Cuprammonium washes, 235
Curly dwarf, of potato, 71
Curly top, of sugar beet, 269
Currant, Cronartium ribicola on, 17, 58; effect of tar smoke on, 32; rust on, 17, 225
Cycas, revoluta, 44
Cylindrocladium, 410; scoparium, 409
Cylindrosporium, on Kerria japonica, 399
Cystospora, batata, 74; Sacchari, 424

Dædalea, confragosa, 379; heteromorpha, 380; unicolor, 379
DALBEY, NORA E., Corn disease caused by Phyllachora graminis, 55
DALE, E. E., see MELCHERS, L. E.
Damping-off, of tomatoes, 319
Dasheen, nematode disease of, 66
Datura, cornucopia, 160; fastuosa, 160, 327; ferox, 327; inermis, 327; lævis, 327; metelloides, 160; quercifolia, 327; stramonium, 327; stramonium giganteum, 327; stramonium inermis, 327; tatula, 65. 163, 327; tatula inermis, 327
DAVIS, W. H., and JOHNSON, A. G., The aecial stage of the red clover rust (abstract), 75

Dianthus, incarnata, 289
DIEHL, WILLIAM, see MELHUS, I. E.
Dimerium, grammodes, 131
Diplocladium, 410; cylindrosporum, 410
Diplodia, cacaoicola, 423; Camphoræ, 60; rot of citrus fruits, 361
Distichlis, spicata, 92
Dothichiza, populea, 450
DURRELL, W. L., Notes on curly dwarf symptoms on Irish potatoes (abstract), 71

EARL, F. S., see ROGERS, JOHN M.
Early blight, on Datura, 327; on potato, 327
Echinodontium, tinctorium, 176
Eclipta, alba, 157
EDGERTON, C. W., A Gnomonia on eggplant (abstract), 78
EDSON, H. A., and SCHREINER, OSWALD, A malnutrition disease of the Irish potato and its control (abstract), 70
Eelworm, attacking the dasheen, 66
Eggplant, Colletotrichum solanicolum on, 226; Gnomonia on, 78; Lightning injury to, 140; stem blight of, 60, 78; wilt on, 227
Elephantopus, tomentosus, 67
Elfvingia, megaloma, 47
ELLIOTT, JOHN A., A new parasitic slime mold suitable for class work (abstract), 74; The conduction of potassium cyanide in plants, 443–448.
Elymus, americanus, 143; canadensis, 73; condensatus, 73; glaucus, 69, 73; macounii, 73; robustus, 69
Endothia, parasitica, 313
Erigeron, canadensis, 163
Erysimum, asperum, 92
Eupatorium, 68
Euphorbia, 101; commutata, 101; cyparissias, 101; exigua, 104; falcata, 102; gerardiana, 105; mutans, 163; peplus, 104; robusta, 101
Eutettix, tenella, 273
Euthamia, 68; caroliniana, 68; leptocephala, 68
Exoascus, Cerasi, 185

FAULWETTER, R. C., Dissemination of Bacterium Malvacearum (abstract), 64
Fern, effect of tar smoke on, 34
Ficus, 133; carica, 110
FIELDS, W. S., Method for photographing plate cultures, 388
Fig, Rhizoctonia of, 110
Flax, 359; wilt, 375
Fomes, annosus, 175, 216; applanatus, 217; pinicola, 216, 426
Forest trees, rust on, 106, 135
Formaldehyde solution, for control of oat smut, 381
Fragaria, 32, 178
FROMME, F. D., Tylenchus tritici on wheat in Virginia, 452
FROMME, F. D., and THOMAS, H. E., A Xylaria root-rot of the apple (abstract), 77
Fruit rot, of peppers, 308; of tomato, 60
FULTON, H. R., Manual of Fruit Diseases, HESLER, LEX R. and WHETZEL, HERBERT HICE, (Review), 386–388
Fusarium, conglutinans, 358; cubense, 14; distribution in soil, 374; Lini, 356; martii, 61; oxysporum, 375; radicicola, 375; roseum, 384; Solani, 375; subulatum, 385

GALLOWAY, B. T., NEWTON, B. PIERCE, 143
Ganoderma, Tsugæ, 47
GARDNER, M. W., Dissemination of the organism of cucumber anthracnose (abstract), 62
Gasteropods, carriers of Cronartium ribicola in greenhouses, 368
Geranium, effect of tar smoke on, 35
Gibberella, saubinetti, 385
GILBERT, W. W., Virulence of different strains of Cladosporium cucumerinum (abstract), 62
GILBERT, A. H. and BENNETT, C. W., Sclerotinia Trifoliorum, the cause of stem rot of clovers and alfalfa, 432–442
GLADWIN, F. E. and REDDICK, DONALD, Sulfuring Concord grapes to prevent powdery mildew (abstract), 66
Glœoporus, conchoides, 48

Glœophyllum, hirsutum, 48; trabeum, 47
Glœosporium, Camphoræ, 59; Mangiferæ, 132; venetum, 83
Glomerella, 85
Gnomonia, on eggplant, 78
Gondule, rust of, 132
Grapefruit, canker on, 59
Grape, powdery mildew, 66; rust on, 132
Graphiola, Phœnicis, 131
Grasses, rust on, 73; Scolecotrichum graminis on, 69
GRAVATT, G. FLIPPO and MARSHALL, RUSH P., Arthropods and gasteropods as carriers of Cronartium ribicola in greenhouses, 368–373
Guava, diseases of, 131
GÜSSOW, H. T., The pathogenic action of Rhizoctonia on potato, 209–213; The occurrence of Colletotrichum cereale, Dothichiza populea and Leptosphæria Napi in Canada, 450; A thumb clip for use with magnifiers, 451–452
Gymnosporangium, nelsoni, 109; tubulatum, 109

Hapalopilus, gilvus, 47
HASKELL, R. J., The spray method of applying concentrated formaldehyde solution in the control of oat smut, 381–383
HAWKINS, LON A., see STEVENS, NEIL E.
HEDGCOCK, GEO. G., Edible and poisonous mushrooms. W. A. MURRILL (review), 140; and LONG, W. H., The aecial stage of Coleosporium Elephantopodis (abstract), 66; and HUNT, N. REX, The Peridermium belonging to Coleosporium Ipomœæ (abstract), 67; A Peridermium belonging to Coleosporium Terebinthinaceæ (abstract), 67; An alternate form for Coleosporium Helianthi (abstract), 67; Some new hosts for Coleosporium Solidaginis (abstract), 68; Some new hosts for Coleosporium inconspicuum (abstract), 68; Notes on Razoumofskya campylopoda, 315
Helianthus, 67; annuus, 321, 445; australis, 68; decapetalus, 68; divaricatus, 68; eggertii, 68; giganteus, 68; grosse-serratus, 68; hirsutus, 68; microcephalus, 68; saxicola, 68
Helminthosporium, mayaguezense, 351
Hemileia, vastatrix, 130
Hemlock, sap-rot in, 47
Heterodera, radicicola, 66
Hickory, 44; witches-brooms on, 185
HIGGINS, B. B., A disease of pecan catkins, 42–45
Honeysuckle, effect of tar smoke on, 32
Hordeum, jubatum, 69, 73, 143; nodosum, 69
HOTSON, J. W., see TRUMBULL, H. L.
HOWITT, J. E., Phytopthora infestans causing damping-off of tomatoes, 319
HUBERT, ERNEST E., see WEIR, JAMES R.
HUMPHREY, C. J., see PIEPER, ERNEST J.
HUMPHREY, H. B., Puccinia glumarum, 142
HUNGERFORD, C. W., see JOHNSON, A. G.; Puccinia graminis on wheat kernels and its relation to subsequent infection (abstract), 73
HUNT, N. REX, see HEDGCOCK, GEO. G.
Hypochnus, ochroleucus, 130

Iberis, amara, 32; umbellata, 337
Impatiens, balsamina, 161; sultani, 163
Indigofera, arreeta, 160
Inga, laurina, 132
Inonotus, dryophilus, 48
Ipomœa, batata, 312; lacunosa, 67; pandurata, 67; triloba, 67
Irpex, lacteus, 379
Isariopsis, on bean, 345; griseola, 345; leaf-spot, 345
Ischnoderma, fulignosum, 47

JACKSON, H. S., A species of Chrysomyxa new to North America (abstract), 78; Two new forest tree rusts from the northwest, 352–355
JAGGER, IVAN C., Two transmissible mosaic diseases of cucumbers (abstract), 61
JEHLE, R. A., Citrus canker investigations at the Florida Tropical Laboratory (abstract), 58; Susceptibility of non-citrous plants to Bacterium Citri, 339–344

JENSEN, JENS LUDWIG, Biography of, 1
Jimson weed, leaf-spot of, 327
JOHNSON, A. D., see TAUBENHANS, J. J.
JOHNSON, A. G. and COERPER, FLORENCE M., A bacterial blight of soy bean (abstract), 65; and HUNGERFORD, C. W., Scolecotrichum graminis on timothy, orchard grass, and other grasses (abstract), 69; see JONES, L. R.; see DAVIS, W. H.
Jonathan spot, 76
JONES, FRED REUEL, The Pseudopeziza leaf spot diseases of alfalfa and red clover (abstract), 70
JONES, L. R., JOHNSON, A. G. and REDDY, C. S., Bacteria of barley blight seed-borne (abstract), 69; and BAILEY, ERNEST, Frost necrosis of potato tubers (abstract), 71; Lightning injury to Kale, 140–142
Juglans, cinerea, 47
Juniperus, communis, 109; scopulorum, 109; virginiana, 46

Kale, lightning injury to, 140
KEITT, G. W., Second progress report on investigations of leaf spot of cherries and plums in Wisconsin (abstract), 75
Kerria, japonica, 399
Kochia, scoparia, 92
KROUT, W. S., Bacterial diseases of celery (abstract), 64; Wintering of Septoria petroselina var. Apii (abstract), 65
Kuehneola, Fici, 133; Gossypii, 133
Kumquat, canker on, 59

Laciniaria, 67; carlei, 68; elegans, 68; elongata, 68; pauciflora, 68; scariosa, 68; serotina, 68
Larix, europea, 108, 355; laricina, 109; occidentalis, 106, 176, 315, 355
LATHROP, ELBERT C., The generation of aldehydes by Fusarium cubense, 14–16
Leaf blight, of fig, 115
Leaf blotch, of bean, 345
Leaf-rust, of winter wheat, 224
Leaf spot, alfalfa, 70; bean, 345; cherry, 75, 188; clover, 70; cucumber, 62; Jimson weed, 327; plum, 75; potato, 327; tomato, 327
Lemon, brown rot, 37; canker on, 59; scab, 60; sour rot, 37; stem-end rot, 363
Lentinus, 171
Lenzites, heteromorpha, 380; sepiaria, 217
Lepidium, densiflorum, 92; medium, 92
Leptosphæria, Napi, 450; Sacchari, 131, 424
Lettuce, rot, 392; Sclerotinia libertiana on, 60; stem and leaf disease of, 63
LEVIN, EZRA, Control of lettuce rot, 392–393
Lightning injury, alfalfa, 142; carrots, 142; cotton, 140; eggplant, 142; kale, 141; potatoes, 140; radishes, 142; sugar beet, 141; to sugar cane, 317; tomato, 142; turnips, 142
Lima bean, mosaic on, 60
Lime, canker on, 59
Literature on plant diseases, 79–81; 152–154; 228–234; 322–326; 393–398; 455–460
LONG, W. H., see HEDGCOCK, GEO. G.
Lonicera, tartarica, 32
Lunaria, biennis, 337
Lycopersicum, cerasiforme, 161; esculentum, 52, 155; pyriforme, 161

Macrosporium, cookei, 328; Daturæ, 334; Solani, 328
MAINS, E. B., Species of Melampsora occurring upon Euphorbia in North America, 101–105
MALLOCH, J. R., see STEVENS, F. L.
Mandarin, canker on, 59
Mango, Meliola on, 132
Manihot, 133; utillisma, 349
Maple, 48; Nectria parasitic on Norway, 313
Marasmius, Sacchari, 424
Marigold, effect of tar smoke on, 32
MARSHALL, RUSH P., see GRAVATT, G. FLIPPO
MARTIN, WILLIAM H., A Sclerorium disease of peppers (abstract), 64; Sclerotium bataticola, 308–312
Martynia, proboscidea, 161
MASSEY, L. M., The crown canker disease of rose, 408–417
MATZ, J., A Rhizoctonia of the fig, 110–118

McCLINTOCK, J. A., Economic hosts of Sclerotinia libertiana in tidewater Virginia (abstract), 60; Lima bean mosaic (abstract), 60; Will Spongospora subterranea prove serious in Virginia? (abstract), 72
Myrica, californica, 49; carolinensis, 49, 108; cerifera, 49; gale, 49; inodora, 50; pumila, 50
McCUBBIN, W. A., Does Cronartium ribicola winter on the currant? 17–31; Contributions to our knowledge of the white pine blister rust, 95–100; and POSEY, G. G., Development of blister rust aecia on white pines after they had been cut down, 391–392
Melampsora, 101; Euphorbiæ, 101; Euphorbiæ-dulcis, 101; Euphorbiæ-Engleri, 101; Euphorbiæ-Gerardianæ, 101; Gelmii, 101; Helioscopiæ, 101; Medusæ, 108; **monticola,** 103
Melanconium, Sacchari, 423
MELCHERS, L. E., and DALE, E. E., Black spot of pepper (abstract), 63; Puccinia triticina Erikss. Leaf-rust of winter wheat causes damage in Kansas, 224; see POTTER, ALDEN A.
MELHUS, I. E., Notes on mosaic symptoms of Irish potatoes (abstract), 71; and DIEHL, WILLIAM, The development of the aecial stage of Nigredo on red clover (abstract), 70
Melia, 133
Meliola, Camellæ, 134; Citri, 134; furcata, 131; Mangiferæ, 132; Psidii, 131
Methods, for photographing plate cultures, 388; for the differentiation of pathogenic fungi in the tissues of the host, 389
Microtome, ether freezing, 222
Microstroma, 132; album, on oak, 42; Juglandis, 185; Juglandis var. **robustum,** 45
MILES, L. E., Some diseases of economic plants in Porto Rico, 345–351
Mistletoe, 315
Monolepis, nuttalliana, 92
Mosaic, on cucumbers, 61; on lima bean, 60; on pea bean, 61; on potatoes, 71, 72; on muskmelons, 61
Mucuna, 160
MURPHY, PAUL A., Seed potato certification in Nova Scotia (abstract), 72; The economic importance of mosaic of potato (abstract), 72
Murraya, exotica, 339
Mushrooms, edible and poisonous, 140
Muskmelons, mosaic on, 61
Mycorhiza, 74
Mycosphærella, Perseæ, 350
Myriogenospora, 132

Nasturtium, wilt of, 160
NAUMOV, N. A., Intoxicating bread (review), 384–386
Necrosis, of potatoes, 71
Nectria, coccinea, 314
Nematode, disease of the dasheen, 66
Nematospora, Coryli, 52; **Lycopersici,** 52
Nicotiana, 160; tabacum, 155
Nigredo, fallens, 70
NORTON, J. B. S., Host limitations of Septoria Lycopersici (abstract), 65
Nummularia, discreta, 205

Oak, 42, 74
Oat, smut, 381
OBERLY, EUNICE R., (compiler), and SMITH, FLORENCE P., Literature on American plant diseases, 79–81; 152–154; 228–234; 322–326; 393–398; 455–458
O'GARA, P. J., Notes on the distribution of the bacterial disease of western wheat-grass, 225; The occurrence of Colletotrichum solanicolum O'Gara on eggplant, 226
Oidium, citri-aurantii, 39; fasciculata, 39; tigitaninum, 39
Oospora, citri-aurantii, 39; fasciculata, 39; lactis, 40
Okra, Cercospora Hibisci on, 349
Onion, anthracnose, of, 59; pink rot of, 59
Oosporoidea, citri-aurantii, 39
Orange, black heart, 190; canker on, 59; sooty mold on, 133
OSNER, GEO. A., Preliminary notes on a new leaf spot of cucumbers (abstract), 62

Palm, diseases of, 131
Pantomorus, fulleri, 369
Papaw, Pucciniopsis Caricæ on, 349
Parsley, Sclerotinia libertiana on, 60
Parthenium, integrifolium, 67
Paspalum, 132; conjugatum, 351
Peach, brown rot, 179; little, 76; yellows, 76
Peanut, rust on, 132; wilt, 156
Pear, blight, 75, 130
Pecan, disease of, 42
Pellicularia, koleroga, 130
PELTIER, G. L., see STEVENS, F. L.
PENNINGTON, L. H., Boleti and mycorhiza upon forest trees and an unusual mycorhiza upon white oak (abstract), 74
Peony, effect of tar smoke on, 32
Pepper, black spot of, 63; fruit-rot of, 308; sclerotium disease of, 64
Peridermium, acicolum, 20, 68; carneum, 66; cerebrum, 315; delicatulum, 68; harknessii, 20, 315; Helianthi, 67; inconspicuum, 68; ipomœæ, 67; strobi, 17, 225; terebinthinaceum, 67
Persea, americana, 350
Petunia, 160
Peziza ciborioides, 433
Pharbitis, 68; barbigera, 67; hederacea, 67
Phaseolus, vulgaris, 61
Pheidole, anastassii, 369
Phyllachora, graminis, 55, 131; gratissima, 350
Phyllosticta, hortorum, 78; solitaria, 202
Physalis, alkekengi, 161; angulata, 160; crassifolia, 160; philadelphica, 160
Physopella, vitis, 132
Phytophthora, cactorum, 126; erythroseptica, 126; infestans, 122, 262, 319; terrestria, 120
Picea, engelmannii, 78, 176, 352; excelsa, 47; morinda, 352; rubens, 47
PIEMEISEL, F. J., see STAKMAN, E. C.: Factors affecting the parasitism of Ustilago zeæ, 294–307
PIEPER, ERNEST J., HUMPHREY, C. J., and ACREE, S. F., Synthetic culture media for wood-destroying fungi, 214–220
PIERCE, NEWTON B., Biography of, 143
PIERCE, ROY G., Albany conference on white pine blister rust, 54; Early discovery of white pine blister rust in the United States, 224; see SPAULDING, PERLEY
Pine, mistletoe on, 315; rust on, 17, 58, 67, 77, 95; white, 17, 54, 58, 319; yellow, 140
Pink root, of onion, 59
Pinus, attenuata, 107, 140; austriaca, 49; banksiana, 107, 137, 140, 315, 451; caribæa, 67, 68, 315; clausa, 67; contorta, 49, 68, 106, 135, 140, 315; coulteri, 107, 315; densiflora, 49, 315; divaricata, 49, 68; echinata, 49, 67, 68; elliotii, 68
Pithecolobium, saman, 132
Plant diseases, literature on, 79–81, 152–154; 228–234; 322–326; 393–398; 455–458; Porto Rican, 66, 130
Plasmopara, viticola, 258
Plectodiscella, Piri, 90; veneta, 91
Pluchea, indica, 160
Plum, leaf spot, 75
Pod blight, on Datura fastuosa, 328; on Datura stramonium inermis, 328; on Datura tatula inermis, 328
Polygonum, aviculare, 92; erectum, 92; ramosissimum, 92
Polyporus, basilapidiodes, 171; berkleyi, 171; frondosus, 171; goetzii, 171; Mylittae, 171; Polyporus, 47; rhinocerotis, 171; sacer, 171; Sapurema, 171; schweinitzii, 426; sulphureus, 172; tuberaster, 171; umbellatus, 171
Polystictus, abietinus, 380
Poppy, effect of tar smoke on, 32
Populus, acuminata, 353; angustifolia, 353; balsamifera, 353; tremuloides, 108, 353, 380; trichocarpa, 108, 223, 353, 380
Poria, weirii, 176
Porodisculus, pendulis, 47
POSEY, G. G., see MCCUBBIN, W. A.
Potassium cyanide, conduction in plants, 443
Potato, curly dwarf, 71; effect of tar smoke on, 32; leaf roll, 72; lightning injury to, 140; malnutrition disease

of, 70; mosaic, 71, 72; necrosis, 71; powdery scab, 72; Rhizoctonia on, 74, 209; rot, 178
POTTER, ALDEN A., and MELCHERS, LEO E., Ecological observations on Ustilago Zeæ (abstract), 73
Pouzolzia, 160
Prunus, avium, 48; ilicifolia, 191
Pseudomonas, Citri, 58; fluorescens, 200; papulans, 200
Pseudoperonospora, 133
Pseudopeziza, 70
Pseudotsuga, taxifolia, 108, 176, 315, 380, 426
Pteris, 35
Puccinia, Antirrhini, 265; triticina, 224
Puccinia, 18; Cannæ, 132; glumarum, 73, 142; graminis, 30, 73; graminis tritici, 73; luxuriosa, 93; rubigo-vera, 143; subnitens, 92
Pucciniastrum, pustulatum, 109
Pucciniopsis, Caricæ, 349
Pycnoporus, cinnabarinus, 47
Pyrus, malus, 445
Pythiacystis, citrophthora, 37, 126
Pythium debaryanum, 126, 391

Quamoclit, coccinia, 67
Quercus, agrifolia, 20; rubra, 107

Radish, lightning injury to, 142
RANKIN, W. H., The penetration of foreign substances introduced into trees, 5–13; The control of white pine blister rust in small areas (abstract), 58
RANDS, R. D., The production of spores by Alternaria Solani in pure culture, 316; Alternaria on Datura and potato, 327–338
Raspberry, anthracnose, 83; effect of tar smoke on, 32
RAVN F. KØLPIN, Jens Ludwig Jensen, 1–4
Razoumofskya, americana, 140; campylopoda, 315; occidentalis abietina, 140
REEDY, C. S., see JONES, L. R.
REDDICK, DONALD, see STEWART, V. B.; see GLADWIN, F. E.
Rhamnus, cathartica, 391
Rhizina, inflata, 175
Rhizoctonia, 74; crocorum, 111; microsclerotia, 116; Solani, 111; of the fig, 110; on potato, 209
Rhizopus, nigricans, 178, 391
RHOADS, ARTHUR S., Some new or little known hosts for wood-destroying fungi, 46–48
Ribes, 17, 32, 58, 77; tenuifolium, 372; nigrum, 449
RIDGWAY, CHARLES S., Methods for the differentiation of pathogenic fungi in the tissues of the host, 389–391
ROGERS, JOHN M. and EARLE, F. S., A simple and effective method of protecting citrus fruits against stem-end rot, 361–367
Root rot, of apple, 77, 223
Roripa, palustris, 93
Rosa, 32
Rose, crown canker, 408–417; effect of tar smoke on, 32
ROSE, DEAN H., Blister spot of apples and its relation to a disease of apple bark, 198–208
ROSENBAUM, J., and SHAPAVALOV. M., Strains of Rhizoctonia (abstract), 74
Rough-bark or scurfy bark canker, of apples, 202
Rubus, 32; idæus var. aculeatissimus, 86; neglectus, 86; occidentalis, 86
Rudbeckia, 68
RUDOLPH, BERT A., A new leaf-spot disease of cherries, 188–197
Rust, 92, 352, 368; on bread fruit, 131; on canna, 132; on clover, 75; on cotton, 133; on forest trees, 106, 135; on grapes, 132; on grasses, 73; on Gondule, 132; on peanut, 132; on Pinus resinosa, 225; on sweet potato, 132; on wheat, 73; white pine blister, 17, 54, 58, 77, 95, 135, 224, 319, 368
RUTH, W. A., see STEVENS, F. L.; see BROCK, W. S.

Salix, cordata mackensiana, 109
Salpiglossis, sinuata, 161
Salsola, pestifer, 92
Sarcobatus, 92
Scab, on apple, 76, 221; on potato, 72
Sclerotium, bataticola, 65, 308
SCHWARZE, C. A., see BLAKE, M. A., see COOK, MEL T.

Schizanthus, pinnatus, 161
Schizophyllum, commune, 380
SCHNEIDER, ALBERT, Further note on a parasitic saccharomycete of the tomato, 52–53
SCHREINER, OSWALD, see EDSON, H. A.
Scolecotrichum, graminis, 69
Senecio, 68
Septoria, Lycopersici, 65; petroselina var. Apii, 65
Sereh, 423
Sesamum, orientale, 160
SHAPAVALOV, M., see ROSENBAUM, J.; Intoxicating bread, NAUMOV, N. A. (review), 384–386
SHERBAKOFF, C. D., Buckeye rot of tomato fruit, 119–129
Silphium, angustum, 67; asteriscus, 67; compositum, 67; dentatum, 67; glabrum, 67; integrifolium, 67; pinnatifidum, 67; trifoliatum, 67
Silverdraad, disease on Coffea, 115
Sisymbrium, altissimum, 93
SMITH, CLAYTON O., Sour rot of lemon in California, 37–41
SMITH, FLORENCE P., see OBERLY, EUNICE, R.
SMITH, RALPH E., A new apparatus for aseptic ultrafiltration, 290–293
Smut on corn, 73; on oats, 381
Snap bean, mosaic, 61; Sclerotinia libertiana on, 60
Solanum, carolinense, 65, 163; melongena, 157; nigrum, 160, 331; tuberosum, 32, 157, 178
Solidago, 67
Sooty molds, on Camellia, 133; on orange, 133
Sophia, pinnata, 92
Sour rot, of lemon, 37
Soy bean, bacterial blight of, 65
Sparassis, crispa, 167; herbestii, 169; laminosa, 169; **radicata,** 166; ramosa, 169
SPAULDING, PERLEY, Notes on Cronartium Comptoniæ, III, 49–51; Evidence of the over wintering of Cronartium ribicola (abstract), 58; Needle rust on Pinus resinosa, 225; and PIERCE, ROY G., State and National quarantines against the white pine blister rust, 319
Spilanthes, acmella, 160
Spongospora, subterranea, 72
Sporobolus, airoides, 93
Squash, effect of tar smoke on, 32; mosaic on, 61
STAKMAN, E. C., and PIEMEISEL, F. J., A new strain of Puccinia graminis (abstract), 73
STANFORD, E. E. and WOLF, F. A., Studies on Bacterium solanacearum, 155–165
Stanleya, pinnata, 93
Stem rot, of clovers and alfalfa, 432
Stem-end rot, of cirtus fruits, 361
Stereum, frustulosum, 217; spathulatum, 169
STEVENS, F. L., Noteworthy Porto Rican Plant diseases (abstract), 66; (article), 130–134; and RUTH, W. A., PELTIER, G. L., and MALLOCH, J. R., Observations on pear blight in Illinois (abstract), 75
STEVENS, NEIL E., and HAWKINS, LON A., Some changes produced in strawberry fruits by Rhizopus nigricans, 178–184
STEVENSON, JOHN A., Lightning injury to sugar cane, 317; an epiphytotic of cane disease in Porto Rico, 418–425
STEWART, F. C., Witches-brooms on hickory trees, 185–187
STEWART, V. B., A twig and leaf disease of Kerria japonica, 399–407; The perennation of Cronartium ribicola on currant, 449–450; and REDDICK, DONALD, Bean mosaic (abstract), 61
Stilbella, flavida, 131
Strawberry, effect of tar smoke on, 32; rot of, 178
Stizolobium, niveum, 161
Subulina, octona, 371
Sugar beet, curly top of, 269; lightning injury to, 141
Sugar cane, disease, 418; leaf spot of, 131; lightning injury to, 317
Sunflower, effect of tar smoke on, 32
Sweet potato, charcoal rot of, 312; Cystospora batata on, 74; rust on, 132
Synedrella, nodiflora, 160

Tarvia fumes, effect on vegetation, 32
TAUBENHAUS, J. J., Two new camphor diseases in Texas (abstract), 59; and JOHNSON, A. D., Pink root, a new root disease of onions in Texas (abstract), 59
TAYLOR, MINNIE W., Preliminary report on the vertical distribution of Fusarium in soil, 374–378
Tea, disease of, 132
Tectona, grandis, 160
Thlaspi, arvense, 93
THOMAS, H. E., see FROMME, F. D.
Thrinax, ponceana, 131
Thuja, occidentalis, 47
Timothy, Scolecotrichum graminis, 69
TISDALE, W. H., Relation of temperature to the growth and infecting power of Fusarium Lini, 356–360
Tobacco, wilt, 155; Cercospora nicotianæ on, 348
Tomato, buckeye rot of, 119; damping-off of, 319; fruit rot of, 60; leaf-spot of, 327; lightning, injury to, 142 parasitic saccharomycete of the, 52; Phytophthora infestans on, 319; wilt, 155
Trametes, carnea, 380; heteromorpha, 380; hispida, 380; lacerata, 380; peckii, 380; Pini, 176; rubescens, 379; serialis, 380; trogii, 380; variiformis, 380
Trichoderma, lignorum, 424
Trifolium, hybridum, 70, 432; incarnatum, 70, 432; pratense, 70, 432; repens, 70, 432
Triticum, vulgare, 73; compactum, 73
Tropæolum, lobbianum, 161; majus, 160; peregrinum, 161
TRUMBULL, H. L., and HOTSON, J. W., The effect of roentgen and ultraviolet rays upon fungi, 426–431
Tsuga, canadensis, 46; caroliniana, 109; heterophylla, 108, 380, 426
Tuberculina, maxima, 139
Turnip, lightning injury to, 142
Tylenchus, tritici, 56, 452
Tyromyces, cæsius, 47

Uncinula, necator, 66
Uredo, Artocarpi, 131
Uromyces, Arachidis, 132; Dolicholi, 132; fallens, 70, 75; Janiphæ, 133
Ustilago, Avenæ, 381; lævis, 381; Zeæ, 73, 294

Venturia, pomi, 221
Verbena, erinoides, 161
Verbesina, 67
Vernonia, 67
Verrucosis, 60
Volutella, fructi, 59

WALKER, J. C., Studies upon the anthracnose of the onion (abstract), 59
WAITE, M. B., Common and scientific names of plant diseases (abstract), 60
Wandering-jew, effect of tar smoke on, 35
WEIR, JAMES R., Notes on wood-destroying fungi which grow on both coniferous and deciduous trees, II, 379–380; and HUBERT, ERNEST E., Recent cultures of forest tree rusts, 106–109; Pycnial stages of important forest tree rusts, 135–139; New hosts for Razoumofskya americana and R. occidentalis abietina, 140; Sparasis radicata, an undescribed fungus on the roots of conifers, 166–177; Note on Xylaria polymorpha and X. digitata, 223; Cronartium cerebrum on Pinus resinosa, 450–451
Western wheat-grass, bacterial disease of, 225
Wilt, cabbage, 375; flax, 375
Wheat, Tylenchus, tritici, on, 56, 452; leaf-rust of, 224; rust, 73
Wilt, Bacterial heart, of celery, 64; crown rot, of celery, 64; of nasturtium, 160; of peanut, 156; of tomato and potato, 155
Witches-broom, on cherry, 185; on hickory, 185
WOLF, F. A., see STANFORD, E. E.
Wood-destroying fungi, 46, 214

Xylaria, polymorpha, 77, 223; digitata, 223

Yam, Cercospora carbonacea on, 351

Zanthoxylum, fagara, 339
Zebrina, pendula, 35
Zygosporium, oschioides, 350